



Crude **BONNY LIGHT**

Country Nigeria

TBP
DISTILLATION

Density at 15°C, kg/m3	850.0	Assay Date	18-Jun-20			°C	wt%	vol%	°C	wt%	vol%
°API	34.9					080	7.4	9.8	460	84.1	86.2
Bbl/mt	7.412					090	8.7	11.3	480	86.4	88.3
Acidity, mg KOH/g	0.26					100	10.2	13.0	500	88.4	90.2
Sulphur, wt%	0.15					120	13.9	17.1	520	90.3	91.8
Hydrogen Sulphide, mg/kg	1					140	18.3	21.9	540	91.9	93.2
Mercaptan Sulphur, mg/kg	15					160	22.5	26.4	560	93.3	94.4
Viscosity, cSt at 10 °C	8.0					180	26.0	30.2	580	94.5	95.4
Viscosity, cSt at 50 °C	3.0					200	29.2	33.5			
Pour Point, °C	-18					220	32.9	37.2			
Total Nitrogen, wt%	0.09	240	37.2	41.6							
Wax, wt%	-	wt%		vol%	260	42.2	46.6				
Wax Appearance Temperature, °C	-				280	47.7	51.9				
RVP at 37.8 °C, kPa	-	Ethane	0.0	0.1	300	53.1	57.3				
Water, vol%	-	Propane	0.3	0.5	320	58.4	62.3				
NaCl, mg/kg	-	Iso-Butane	0.4	0.5	340	63.3	67.0				
Nickel, mg/kg	3.6	n-Butane	0.7	1.0	360	67.7	71.2				
Vanadium, mg/kg	0.5				380	71.7	74.9				
Iron, mg/kg	2.6				400	75.3	78.3				
Mercury, µg/kg	-				420	78.6	81.2				
					440	81.5	83.9				

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	4.5	5.8	653	0.00	2	78.8	77.6			11.7	1.3	-			
	15-80	6.1	7.7	669	0.00	4	77.2	75.8			20.0	3.7	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	13.0	14.5	763	0.00	11					54.3	13.2				
80-175	17.8	19.5	772	0.00	11					53.9	13.8					
100-150	10.2	11.2	771	0.00	11					54.8	13.0					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	14.5	15.1	816	0.02	12	23	0.01	33.5	-62		18.0	1.0			55.6
	175-230	9.7	10.0	826	0.03	12	22	0.01	34.7	-56		19.2	1.1			69.9
150-250	19.2	19.8	824	0.03	12	22	0.01	35.8	-56		19.0	1.1			59.4	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	50.1	49.0	868	0.13		63		43.6	-5	-9	-14	3.1	1.4	11.6	85.5
	230-400	40.4	39.0	879	0.15		66		45.6	-2	-4	-6	4.3	1.7	11.6	106.2
230-375	35.8	34.7	875	0.14		65		45.2	-7	-9	-11	3.7	1.5	11.5	104.8	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	21.8	19.8	936	0.27	0.2	78	0	0	0.16	599	39	10.9	3.6	11.6	0.0
	375-565	22.8	20.6	938	0.28	0.3	78	1	0	0.18	630	40	11.7	3.8	11.6	0.0
	375-580	23.7	21.4	940	0.28	0.4	79	1	0	0.19	660	41	12.5	4.0	11.7	0.0
400-580	19.1	17.2	946	0.30	0.5	80	1	0	0.22	760	45	16.8	4.9	11.7	0.0	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	29.2	26.0	955	0.33	3.8	0.6	12	2	0.30		14	24	6	-	0.0
	> 550	7.4	6.2	1015	0.51	14.3	0.3	48	7	0.71		64	1290	84	62	0.0
	> 565	6.4	5.3	1020	0.53	16.1	0.2	55	7	0.76		68	2160	116	44	0.0
> 580	5.5	4.6	1026	0.54	18.1	0.2	62	8	0.80		71	3800	165	34	0.0	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.