



Crude **CASCADE CHINOOK BLEND**

Country United States of America

TBP DISTILLATION

Density at 15°C, kg/m3	906.0	Assay Date	13-Jan-13			°C	wt%	vol%	°C	wt%	vol%
°API	24.6	Assay Quality	Blend 40% Cascade 60% Chinook			080	3.56	5.06	460	49.51	54.48
Bbl/mt	6.952					090	4.28	5.99	480	52.32	57.20
Acidity, mg KOH/g	0.27					100	5.13	7.05	500	55.44	60.20
Sulphur, wt%	2.810					120	6.78	9.10	520	58.99	63.59
Hydrogen Sulphide, mg/kg	2					140	8.18	10.80	540	62.31	66.73
Mercaptan Sulphur, mg/kg	3					160	9.81	12.76	560	65.23	69.48
Viscosity, cSt at 10 °C	129.0					180	11.76	15.05	580	67.89	71.96
50 °C	26.9					200	13.96	17.59			
Pour Point, °C	-24					220	16.33	20.26			
Total Nitrogen, wt%	0.182					240	18.85	23.06			
Wax, wt%	-				260	21.55	26.01				
Wax Appearance Temperature, °C	-				280	24.42	29.10				
RVP at 37.8 °C, kPa	31	Ethane	0.01	0.03	300	27.36	32.22				
Water, vol%	-	Propane	0.17	0.31	320	30.24	35.24				
NaCl, mg/kg	-	Iso-Butane	0.09	0.14	340	33.02	38.11				
Nickel, mg/kg	26.6	n-Butane	0.44	0.67	360	35.72	40.87				
Vanadium, mg/kg	97.8				380	38.42	43.58				
Iron, mg/kg	10.8				400	41.14	46.29				
Mercury, µg/kg	9.3				420	43.90	49.01				
					440	46.70	51.75				

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	2.03	2.85	645	0.0001	1	70.4	70.4			4.0	0.2	-			
	15-80	2.85	3.91	659	0.0002	1	65.4	66.2			8.0	0.6	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	5.39	6.68	730	0.0110	1					24.3	6.9				
80-175	7.69	9.39	740	0.0333	1					23.3	9.3					
100-150	3.82	4.69	738	0.0148	1					24.5	8.3					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	8.62	9.91	786	0.263	2	29	0.11	48.2	-59		14.1	1.3			-
	175-230	6.32	7.19	795	0.327	2	28	0.11	48.4	-53		13.8	1.4			-
150-250	11.23	12.78	794	0.387	2	28	0.11	48.9	-52		15.3	1.4			-	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	29.89	31.83	849	1.680		68		50.3	-4	-8	-12	3.1	1.3	11.8	-
	230-400	23.57	24.64	865	2.050		70		51.6	-1	-3	-4	4.1	1.6	11.8	-
230-375	20.17	21.26	858	1.910		69		52.2	-6	-7	-9	3.6	1.5	11.8	-	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	26.07	25.25	933	3.23	0.4	77	0	1	0.096	267	36	9.1	3.4	11.8	0.3
	375-565	28.17	27.22	936	3.27	0.6	77	0	2	0.104	288	37	9.9	3.6	11.8	0.4
	375-580	30.15	29.06	938	3.30	0.9	77	1	3	0.111	308	38	10.7	3.8	11.8	0.6
400-580	26.75	25.68	942	3.36	1.0	78	1	3	0.119	332	40	12.7	4.3	11.8	0.6	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	62.26	57.10	986	3.85	14.8	0.3	43	157	0.288		27	271	39	1280	11.2
	> 550	36.19	31.85	1027	4.30	25.2	0.4	73	270	0.427		82	42500	1390	18	19.1
	> 565	34.09	29.88	1031	4.33	26.6	0.5	78	286	0.441		89	90300	2400	13	20.2
> 580	32.11	28.04	1035	4.37	27.9	0.5	82	302	0.455		96	201000	4270	10	21.3	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.