



Crude **FORCADOS**

Country Nigeria

TBP  
DISTILLATION

Density at 15°C, kg/m3	867.5	Assay Date	01-Mar-14	°C	wt%	vol%	°C	wt%	vol%
°API	31.5			080	4.88	6.58	460	83.37	85.30
Bbl/mt	7.263			090	5.87	7.76	480	85.87	87.58
Acidity, mg KOH/g	0.33			100	7.09	9.20	500	88.08	89.59
Sulphur, wt%	0.220			120	10.30	12.87	520	90.03	91.34
Hydrogen Sulphide, mg/kg	1			140	14.32	17.36	540	91.72	92.86
Mercaptan Sulphur, mg/kg	12			160	18.09	21.49	560	93.18	94.15
Viscosity, cSt at 10 °C	11.4			180	20.92	24.53	580	94.43	95.25
50 °C	3.5			200	23.79	27.55			
Pour Point, °C	5			220	27.29	31.18			
Total Nitrogen, wt%	0.094			240	31.59	35.55			
Wax, wt%	7.0			260	36.76	40.74			
Wax Appearance Temperature, °C	-			280	42.80	46.72			
RVP at 37.8 °C, kPa	-			300	49.45	53.23			
Water, vol%	-	320	56.07	59.63					
NaCl, mg/kg	-	340	61.87	65.19					
Nickel, mg/kg	4.1	360	66.59	69.68					
Vanadium, mg/kg	0.8	380	70.58	73.44					
Iron, mg/kg	-	400	74.18	76.82					
Mercury, µg/kg	-	420	77.52	79.92					
		440	80.58	82.75					

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	2.70	3.59	650	0.0028	2	78.9	77.5			10.3	0.3	-			
	15-80	3.81	4.94	666	0.0033	5	77.4	75.9			20.1	1.1	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	11.45	12.99	761	0.0095	12					53.8	9.9				
80-175	15.38	17.24	770	0.0114	12					53.4	10.9					
100-150	9.23	10.38	768	0.0103	12					53.3	10.8					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	13.01	13.69	820	0.030	12	23	0.03	32.9	-63		17.8	1.0			-
	175-230	9.08	9.44	830	0.036	12	22	0.04	33.3	-57		19.4	1.1			-
150-250	17.73	18.47	829	0.041	12	22	0.04	34.7	-56		19.5	1.1			-	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	53.93	53.00	879	0.163		60		41.0	-6	-10	-14	3.3	1.4	11.4	-
	230-400	44.85	43.56	889	0.189		61		42.4	-4	-6	-7	4.3	1.7	11.4	-
230-375	40.29	39.28	886	0.179		60		41.6	-8	-10	-11	3.8	1.5	11.4	-	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	22.85	20.99	940	0.34	0.3	77	0	0	0.146	493	38	12.7	4.1	11.6	0.0
	375-565	23.88	21.90	942	0.35	0.5	77	1	0	0.156	510	39	13.7	4.3	11.6	0.0
	375-580	24.80	22.71	943	0.36	0.6	77	1	0	0.165	527	40	14.6	4.5	11.6	0.0
400-580	20.24	18.43	948	0.38	0.7	79	1	0	0.187	588	43	19.7	5.5	11.6	0.0	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	30.37	27.46	955	0.47	3.8	1.0	13	3	0.289		17	28	7	-	0.0
	> 550	7.52	6.47	1004	0.87	14.5	1.1	53	11	0.723		61	1430	92	73	0.1
	> 565	6.49	5.56	1009	0.92	16.3	1.0	60	12	0.780		65	2400	128	52	0.1
> 580	5.58	4.75	1014	0.97	18.2	1.0	68	14	0.839		68	4230	183	39	0.1	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.

TOTAL DTS / AM

Jun-14