



Crude **SEPIA**

Country **Brazil**

TBP  
DISTILLATION

Density at 15°C, kg/m3	891.1	Assay Date	21-Sep-22	°C	wt%	vol%	°C	wt%	vol%
°API	27.2			080	4.5	6.3	460	54.5	58.9
Bbl/mt	7.071			090	5.3	7.3	480	57.7	61.9
Acidity, mg KOH/g	0.50			100	6.1	8.3	500	60.8	64.9
Sulphur, wt%	0.40			120	8.0	10.5	520	63.9	67.8
Hydrogen Sulphide, mg/kg	1			140	10.0	12.9	540	67.0	70.7
Mercaptan Sulphur, mg/kg	57			160	12.2	15.5	560	70.0	73.5
Viscosity, cSt at 10 °C	110.0			180	14.5	18.1	580	72.9	76.2
50 °C	18.1			200	17.0	20.8			
Pour Point, °C	-12			220	19.6	23.6			
Total Nitrogen, wt%	0.26			240	22.2	26.5			
Wax, wt%	-			260	24.9	29.3			
Wax Appearance Temperature, °C	-			280	27.7	32.2			
RVP at 37.8 °C, kPa	-			300	30.5	35.1			
Water, vol%	0.3			320	33.3	38.0			
NaCl, mg/kg	53.4			340	36.2	41.0			
Nickel, mg/kg	15.5			360	39.2	43.9			
Vanadium, mg/kg	15.2			380	42.1	46.9			
Iron, mg/kg	-			400	45.2	49.8			
Mercury, µg/kg	-			420	48.2	52.8			
				440	51.3	55.8			

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	2.2	3.0	656	0.02	123	71.5	72.3			8.2	0.7	-			
	15-80	3.3	4.4	669	0.02	145	68.5	69.1			13.5	1.5	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	6.6	7.9	744	0.04	68					39.9	6.9				
80-175	9.5	11.2	755	0.04	56					40.6	8.7					
100-150	5.0	5.9	753	0.04	54					41.6	8.0					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	9.8	10.9	803	0.08	23	22	0.19	39.6	-56		15.8	1.1			56.9
175-230	6.9	7.6	811	0.08	21	22	0.20	40.2	-51		17.0	1.2			69.4	
150-250	12.5	13.7	809	0.08	23	22	0.20	41.1	-51		16.9	1.2			60.0	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	31.2	32.4	855	0.20		67		48.0	-8	-12	-16	2.9	1.4	11.7	82.7
230-400	24.3	24.8	869	0.24		70		50.5	-4	-6	-8	4.0	1.8	11.7	107.2	
230-375	20.5	21.1	863	0.22		69		50.5	-10	-12	-14	3.4	1.6	11.7	105.2	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	27.2	26.0	928	0.41	0.3	85	0	0	0.20	466	34	12.6	4.6	11.8	0.2
	375-565	29.4	28.1	930	0.42	0.5	86	0	0	0.21	494	35	13.9	4.9	11.8	0.3
375-580	31.5	30.1	932	0.44	0.6	86	1	1	0.22	522	36	15.2	5.3	11.9	0.4	
400-580	27.7	26.3	936	0.45	0.7	87	1	1	0.24	561	38	19.0	6.2	11.9	0.4	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	58.6	53.9	966	0.58	9.1	0.3	26	26	0.44		21	113	22	-	2.1
	> 550	31.5	27.9	1002	0.74	16.6	0.3	49	48	0.66		57	2890	190	83	3.8
> 565	29.3	25.8	1006	0.75	17.7	0.3	53	52	0.68		60	4350	249	66	4.0	
> 580	27.1	23.8	1010	0.76	18.9	0.3	56	55	0.70		63	6820	335	55	4.2	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.

TOTAL DTS / AM

Oct-22